



Elections Staff - Job description

Ballot Box Filling and Distribution		
Responsible to	Electoral Services Team Leader	
Rate of pay	Hourly rate to be advised in appointment letter. A time sheet must be completed and handed in to your supervisor at the end of your shift.	
Duration of role	To be confirmed in appointment letter and associated communications, usually :- Ballot Box Filling: The week before the election (1 – 5 days) Distribution: The Tuesday before the election (1 day)	
Hours	Ballot box filling: 9.00am – 5.00pm daily (depending on workload, and may be required to stay later to finish task) Distribution: 8am – 8pm	
Location	District Community Centre, Gentian Mews, Didcot OX11 6GR	
Employer	Either: Returning Officer (District and Parish Elections Deputy Returning Officer (County Council Elections) Local Returning Officer (UK Parliamentary Elections) Counting Officer (Referendums)	
DBS check required	No	
Date job description updated	For May 2024	

Purpose of the posts

To ensure that the correct paperwork and equipment is issued to each polling station.

Ballot Box Filling Officer (box layout)

To lay out and label all ballot boxes and fill with equipment to ensure that the correct equipment is issued to each polling station.

Ballot box Filling Supervisor (ballot paper checking)

To work with the Ballot Box filling supervisor to ensure that all ballot papers are proofed and checked and issued to the correct polling station.

Ballot box Filling Assistant (ballot paper checking)

To work with the Ballot Box filling supervisor to ensure that all ballot papers are proofed and checked and issued to the correct polling station.





Ballot Box Distribution

To work with the Ballot Box Distribution Manager to ensure that on arrival, Presiding Officers are issued with the correct ballot box, stationery, and ballot papers. Adhering to a strict appointment system.

Summary of responsibilities and personal duties

The duration and requirements of the roles will vary dependant on progress and workload.

All roles will require an element of lifting and moving items of various weights, shapes and sizes. Please follow all instructions given, and read the council's Health and Safety Manual Handling Policy (attached). Trolleys will be provided, you should work in pairs where appropriate and if required, you must wear High Viz.

You are requested to wear comfortable and suitable clothing and sturdy footwear. Ballot box distribution will involve outside working so you should also wear weather-appropriate outdoor clothing.

If you are unable to, or unconcerned about any tasks, please speak to your supervisor in the first instance.

Ballot Box Filling – officers, supervisors and assistants

- To lay out each ballot box, and label in accordance with instructions issued. Ensure
 that all ballot boxes are fit for purpose and have the necessary Ballot Paper sleeve
 and slot highlighters on lids.
- Place Stationery items in each ballot box, ensuring every single ballot box is complete and has no missing or broken items.
- Place any bespoke items (kettles, additional signage etc) with the correct ballot boxes.
- To check and collate all paperwork to ensure the correct documents are placed with the correct ballot box.
- To check each ballot book (ordinary and tendered) against a master list and example ballot papers to ensure that all are correctly printed, numbered and labelled, and place with the corresponding ballot box awaiting collection.
- To ensure that every ballot box is complete, carefully packed and correctly labelled
- To maintain a safe system of work at all times for yourself and all colleagues.
- To clear away all rubbish and packaging appropriately.





 To carry out any other duties at the request of the Supervisor, Manager or Electoral Services Team Leader

Ballot Box Distribution

- To work with the Ballot Box Distribution Manager to ensure that all ballot boxes and associated items are delivered to the correct Presiding Officer on arrival.
- To maintain the appointment system to ensure Presiding Officers are seen to at the correct appointment time.
- To maintain a safe system of work at all times for yourself and all colleagues.
- To carry out any other duties at the request of the Supervisor, Manager or Electoral Services Team Leader

Special Conditions

Remote working is not available for this role.

Person specification

Experience

Understanding of the elections process would be beneficial but not essential as training and instructions will be given.

Skills/personal attributes

- Must be able to deal with the physical aspects of the task lifting and carrying, use
 of trolleys etc
- Numerate
- Calm under pressure
- Accuracy and high attention to detail
- Punctual and reliable

Essential requirements

The post holder must not have helped or been employed in any way, either for or against, any candidate, election agent or political party involved with the election.

The post holder must not have been convicted of an offence under electoral registration.

The post holder must accept and adhere to the terms of the Statement of Secrecy.

In accordance with the Immigration, Asylum and Nationality Act 2006, the post holder must demonstrate that they are permitted to work in the UK (evidence will be required such as a





passport showing that the post holder is a British citizen or a citizen of the United Kingdom and Colonies having the right of abode in the United Kingdom).

Version Control

Reviewed for May 2024 SJB





Listening Learning Leading

Manual handling policy

INTRODUCTION

Over one third of the accidents reported to the Health and Safety Executive each year
result from manual handling activities. Some typical injuries associated with manual
handling include internal injuries such as hernia, prolapsed disc, muscle and ligament
strain and external injuries such as cuts, bruises, lacerations, crush injuries. Manual
handling activities can also cause cumulative damage due to lifting or moving a load
repetitively or in a fixed working posture.

ΔIM

The aim of this procedure is to minimise as far as reasonably practicable the risks to employees from the manual handling of loads and ensure compliance with legal requirements.

LEGAL REQUIREMENT

- Health and Safety at Work Act 1974
- Manual Handling Operations Regulations 1992.

DEFINITIONS

Manual handling is defined as 'any transporting or supporting of a load (including the lifting, putting down, pushing, pulling, carrying or moving thereof) by hand or by bodily force.'

PROCEDURAL REQUIREMENTS

- Managers must avoid the need for employees to undertake any manual handling activities which involve a risk of injury if possible.
- 5. Where this is not possible then the manager must assess the risk of injury from any hazardous manual handling using the form available on the intranet - refer to appendix four for a copy of the manual handling assessment form. The following are taken into consideration:
 - the way the task is carried out (e.g. handler's posture)
 - load (weight, shape, size)
 - working environment (e.g. hot, cold, cramped)
 - individual capability.

- 6. Managers can use figure 1 in appendix one to make a quick and easy assessment. If the manual handling activity is within the guidelines described then a detailed assessment is not required. As a guide a packet of 500 sheets of A4 paper weighs 2.5 kg and a box of the same 12.5 kg. Lifting items weighing less than 3 kg (women) and 5 kg (men) would not require a manual handling assessment but one would be required for lifting the water bottle. Providing boxes of paper are not kept on the floor or above head height and can be lifted without extending the arms then a detailed risk assessment would not normally be required for this, unless the employee was pregnant or suffering from ill-health.
- Where possible, managers must consider mechanisation and/or manual handling aids.
- Managers must include the employees involved in the work activity in the risk
 assessment process to ensure that control measures introduced are effective and
 practicable.
- Where an assessment identifies a significant risk, such a risk must be reduced as far as reasonably practicable. The manual handling risk assessment form identifies the problems to look for when making an assessment and ways to reduce the risk of injury.
- 10. Managers must review the manual handling assessment and the control measures at least every three years, or when there is a reason to suspect that it is no longer valid, or if there has been a significant change in the matter to which it relates, to check their effectiveness and to ensure that controls are being maintained.
- 11. Wherever reasonably practicable, loads needing manual handling must be marked with the weight of the load and an indication of their heaviest side.
- 12. Managers required to carry out manual handling assessments must be competent (familiar with the work being carried out), for difficult or unusual cases please contact the health and safety adviser.
- 13. A copy of each risk assessment must be sent to the health and safety adviser for review and retention and the original retained electronically. Any manual handling assessment relating to an individual must be sent to human resources so a copy can be retained on the employee's personnel files.
- 14. Employees must follow safe systems of work, use equipment provided for their safety, co-operate with their manager, inform their manager of any hazardous handling activities and ensure that their activities do not put others at risk.

TRAINING

- 15. Managers must make sure all employees required to manually handle loads are given appropriate training in manual handling risk factors and preventative measures. In particular, they should be trained in safe handling, including good handling techniques, which are outlined in appendix two.
- 16. Training and instruction complements measures to reduce the risk of injury, it does not replace them. Training can not overcome a lack of mechanical aids; unsuitable loads; bad working conditions.

MONITORING

17. The health and safety adviser is responsible for auditing and reviewing this procedure at least every three years, or when circumstances dictate.

Version 3 issued: September 2016 Review Due: September 2019

V3

3

APPENDIX 1

General risk assessment guidelines

- There is no such thing as a completely 'safe' manual handling operation. But working
 within the following guidelines will cut the risk and reduce the need for a more detailed
 assessment.
- Use figure one to make a quick and easy assessment. Each box contains a guideline weight for lifting and lowering in that zone. (As you can see, the guideline weights are reduced if handling is done with arms extended, or at high or low levels, as that is where injuries are most likely to occur.)




Figure 1

- Observe the work activity you are assessing and compare it to the diagram. First, decide which box or boxes the lifter's hands pass through when moving the load. Then, assess the maximum weight being handled. If it is less than the figure given in the box, the operation is within the guidelines.
- If the lifter's hands enter more than one box during the operation, use the smallest weight. Use an in-between weight if the hands are close to a boundary between boxes.
- The guideline weights assume that the load is readily grasped with both hands and that the operation takes place in reasonable working conditions, with the lifter in a stable body position.

Twisting

Reduce the guideline weights if the handler twists to the side during the operation. As a rough guide, reduce them by 10 percent if the handler twists beyond 45° and by 20 percent if the handler twists beyond 90°.

Frequent lifting and lowering

7. The guideline weights are for infrequent operations - up to about 30 operations per hour, where the pace of work is not forced, adequate pauses to rest or use different muscles are possible, and the load is not supported by the handler for any length of time. Reduce the weights if the operation is repeated more often. As a rough guide, reduce the weights by 30 percent if the operation is repeated once or twice per minute, by 50 percent if the operation is repeated five to eight times a minute, and by 80 percent where the operation is repeated more than 12 times a minute.

Pushing and pulling

8. The task is within the guidelines if the following figures are not exceeded:

	Men	Women
force to stop or start the load	20 kg	15 kg
sustained force to keep the load in motion	10 kg	7 kg

Refer to appendix three 'Good handling technique for pushing and pulling' for some examples of forces required to push or pull loads.

Using the results: Do I need to make a more detailed assessment?

- 10. Using Figure 1 is a first step. If it shows the manual handling is within the guideline figures (bearing in mind the reduced limits for twisting and for frequent lifts) you need not do any more in most cases. But you will need to make a more detailed assessment if any of the following apply:
- the conditions given for using the guidelines (e.g. that the load can be readily grasped with both hands) are not met
- the person doing the lifting has reduced capacity, e.g. through ill health or pregnancy
- the handling operation must take place with the hands beyond the boxes in the diagram.
- the guideline figures in the diagram are exceeded
- 11. For pushing and pulling, you should make a more detailed assessment if any of the following apply:
- there are extra risk factors like uneven floors or confined spaces;
- the worker can't push or pull the load with their hands between knuckle and shoulder height;
- the load has to be moved for more than about 20 m without a break; or
- the guideline figures in the table are likely to be exceeded.
- 12. Work outside the guidelines is likely to increase the risk of injury, so you should examine it closely to make sure it has been properly assessed and the risk of injury has been reduced.

APPENDIX 2

Good handling technique for lifting

Here are some practical tips to remember when loads are lifted or handled. In the following section a basic lifting operation is taken as an example.

1. Think before lifting/handling

- Plan the lift.
- Can handling aids be used?
- Consider the route to take, are there any obstructions, doors to open, etc.
- Where is the load going to be placed?
- Will help be needed with the load?
- Remove obstructions such as discarded wrapping materials.
- For a long lift, consider resting the load midway on a table or bench to change grip.

2. Keep the load close to the waist

- Keep the load close to the body for as long as possible while lifting.
- Keep the heaviest side of the load next to the body.
- If a close approach to the load is not possible, try to slide it towards the body before attempting to lift it.

3. Adopt a stable position

- The feet should be apart with one leg slightly forward to maintain balance (alongside the load, if it is on the ground).
- The worker should be prepared to move their feet during the lift to maintain their stability.
- Avoid tight clothing or unsuitable footwear, which may make this difficult.

4. Get a good hold

Where possible the load should be hugged as close as possible to the body. This may
be better than gripping it tightly with hands only.

Start in a good posture

 At the start of the lift, slight bending of the back, hips and knees is preferable to fully flexing the back (stooping) or fully flexing the hips and knees (squatting).

6. Don't flex the back any further while lifting

This can happen if the legs begin to straighten before starting to raise the load.

Avoid twisting the back or leaning sideways, especially while the back is bent.

- Shoulders should be kept level and facing in the same direction as the hips.
- Turning by moving the feet is better than twisting and lifting at the same time.

8. Move smoothly. Keep the head up when handling

Look ahead, not down at the load, once it has been held securely.

The load should not be jerked or snatched as this can make it harder to keep control
and can increase the risk of injury.

9. Don't lift or handle more than can be easily managed

 There is a difference between what people can lift and what they can safely lift. If in doubt, seek advice or get help.

10. Put down, then adjust

 If precise positioning of the load is necessary, put it down first, then slide it into the desired position.

APPENDIX 3

Good handling technique for pushing and pulling

Here are some practical points to remember when loads are pushed or pulled.

1. Handling devices

- Aids such as barrows and trolleys should have handle heights that are between the shoulder and waist.
- Devices should be well-maintained with wheels that run smoothly (the law requires that equipment is maintained).
- When purchasing new trolleys etc, ensure they are of good quality with large diameter wheels made of suitable material and with castors, bearings etc which will last with minimum maintenance.
- Consultation with employees and safety representatives will help, as they know what works and what doesn't.

2. Force

As a rough guide the amount of force that needs to be applied to move a load over a
flat, level surface using a well maintained handling aid is at least two percent of the
load weight. For example, if the load weight is 400 kg, then the force needed to move
the load is eight kg. The force needed will be larger, perhaps a lot larger, if conditions
are not perfect (e.g. wheels not in the right position or a device that is poorly
maintained). The operator should try to push rather than pull when moving a load,
provided they can see over it and control steering and stopping.

Slopes

 Employees should enlist help from another worker whenever necessary if they have to negotiate a slope or ramp, as pushing and pulling forces can be very high.

4. Uneven surfaces

Moving an object over soft or uneven surfaces require higher forces.

5. Stance and pace

 To make it easier to push or pull, employees should keep their feet well away from the load and go no faster than walking speed.